



المؤسسة العامة للرعاية السكنية
Public Authority for Housing Welfare

السادة / الموردين المحترمين
تحية طيبة وبعد ،،،

عرض تقديم سعر

يرجى التكرم بتقديم عرض سعر لما هو مبين في الجدول أدناه :

م	اسم المادة او الخدمة	المواصفات المطلوب	الكمية	ملاحظات
1	جهاز Plotter		1	مرفق المواصفات الفنية المطلوبة
2				للتسيق مع إدارة نظم المعلومات
3				
4				
5				
7				

على أن تقدم عروض الأسعار بظرف مغلق ووضعها في الصندوق المخصص لعروض الأسعار في قسم المشتريات - الدور الأول في مبنى المؤسسة ولأي إستفسار ومراجعة بخصوص هذه الطلب الرجاء مراجعة قسم المشتريات

في أوقات العمل الرسمية من الساعة 8.00 صباحا لغاية 2.00 مساءا أو المراسلة على ايميل قسم المشتريات او الاتصال على هاتف

purchases@pahw.gov.kw 25301072

Technical specifications

PRINT:

Print resolution

Up to 2400 x 1200 optimized dpi

Technology

Thermal Inkjet

Ink types

Pigment-based (C, M, Y, K)

Ink drop

6.5 pl (C, M, Y); 13.5 (K)

Printheads

6 (2x KM, 2x CY, 2x MK)

Line accuracy

±0.1%

Minimum line width

0.02 mm (PDF addressable)

Multifunction capabilities:

Scan speed

Scan: Up to 7.62 cm/sec (color, 200 dpi), up to 25.4 cm/sec (grayscale, 200 dpi) Copy: Up to 15.24 cm/sec (color, 200 dpi), up to 25.4 cm/sec (grayscale, 200 dpi)

Scan resolution

Up to 600 dpi

Technology

Sheetfed, CIS (Contact Image Sensor)

Scan format

JPEG, TIFF, multipage PDF

Scan destinations

USB, shared network folder

Maximum scan length

5 m (PDF), 16 m (TIFF), 8 m (JPEG)

Thickness

Up to 0.8 mm

Media:

Handling

Spindle-less drawers, automatic front-loading roll feed, integrated output stacker, automatic horizontal cutter Scanner: straight-through scan paper path for sheet and cardboard originals

Roll size

279 to 914-mm width, up to 200-m length, 3-in core

Maximum roll diameter

180 mm

Sheet size

210 x 279 to 914 x 1219 mm

Standard sheets

A4, A3, A2, A1, A0

Grammage

60 to 328 g/m²

Thickness

Up to 0.5 mm

Applications

Line drawings; Maps; Orthophotos; Presentations; Renderings

Memory

128 GB (file processing)

Hard disk

Standard, 256 GB (AES-256 encrypted)

Connectivity:

Interfaces

Gigabit Ethernet (1000Base-T), supporting the following standards: TCP/IP, DHCP/AutoIP (IPv4 only), DHCPv6, SNMP (v1,v2c, v3), Apple Bonjour Compatible, WS Discovery, Embedded Web Server (HTTPS), IPsec, Raw IP printing (9100), LPD, IPP,WS print, NTLM, SMB (v1/CIFS, v2, v3), SSL/TLS, 802.1X authentication (LEAP, PEAP, EAP-TLS), DFS

Native print languages

Adobe PDF 1.7, TIFF, JPEG, CALS G4

Printing paths

Direct printing from USB flash drive, print from network shared folder, FTP printing, driver for Windows, PrintService for Android, Apple AirPrint driver for macOS and iOS, Print for Chrome OS, app for iOS and Android

Drivers

PDF, raster, and GL/2 drivers for Windows, AirPrint for macOS

Dimensions (W x D x H):

Printer

1603 x 614 x 1225 mm

Shipping

1705 x 766 x 1265 mm

Weight

Printer

182 kg

Shipping

230 kg

Warranty

Two-year hardware warranty.